





Self-adhesive polypropylene tape for manual packaging 28µm with natural rubber adhesive, available in: transparent, white or havana. High conformability and humidity resistant. Excellent adhesive capacity and resistance to temperature variations. Thanks to its 200m of length, it occupies less space than any other tape and you can effectively roll changes. **Available with 1.5 inch core. Printable.**

Technical Data	
Backing μm	28
Adhesive	Natural Rubber
Total thickness μm	45
Longitudinal tensile strenght kg/cm	4,5
Longitudinal elongation at break %	140
Adhesion to steel plate g/cm	250
Rolling ball tack cm	1





Self-adhesive polypropylene tape for manual packaging, $25\mu m$ with natural rubber adhesive, available in: transparent, white or havana. High conformability and humidity resistant. Excellent adhesive capacity and resistance to temperature variations. Thanks to its 200m of length, it occupies less space than any other tape and you can effectively roll changes. **Available with 1.5 inch core.**

Technical Data	
Backing µm	25
Adhesive	Natural Rubber
Total thickness μm	41
Longitudinal tensile strenght kg/cm	4,0
Longitudinal elongation at break %	140
Adhesion to steel plate g/cm	250
Rolling ball tack cm	1





Self-adhesive polypropylene tape for manual packaging, $25\mu m$ with hot melt adhesive, available in: transparent, white or havana. High conformability and humidity resistant. Excellent mechanical strength. Thanks to its 200m of length, it occupies less space than any other tape and you can effectively roll changes. **Available with 1.5 inch core.**

Technical Data		
Backing μm	25	
Adhesive	Hot Melt	
Total thickness μm	42	
Longitudinal tensile strenght kg/cm	4,0	
Longitudinal elongation at break %	140	
Adhesion to steel plate g/cm	500	
Rolling ball tack cm	1	





Self-adhesive polypropylene tape for manual packaging, $25\mu m$, available in: transparent, white or havana. Acrylic water-based adhesive. Thanks to its 200m of length, it occupies less space than any other tape and you can effectively roll changes. **Available with 1.5 inch core.**

Technical Data		
Backing μm	25	
Adhesive	Acrylic	
Total thickness μm	43	
Longitudinal tensile strenght kg/cm	4,0	
Longitudinal elongation at break %	160	
Adhesion to steel plate g/cm	230	
Rolling ball tack cm	1	



W- BONUS TAPE



Self-adhesive polypropylene tape for manual packaging, 28µm, available in: transparent, white or havana. Acrylic water-based adhesive. Thanks to its 200m of length, it occupies less space than any other tape and you can effectively roll changes. **Available with 1.5 inch core.**

Technical Data		
Backing μm	28	
Adhesive	Acrylic	
Total thickness μm	48	
Longitudinal tensile strenght kg/cm	4,5	
Longitudinal elongation at break %	160	
Adhesion to steel plate g/cm	230	
Rolling ball tack cm	1	



BONUS TAPE AC-200



Self-adhesive polypropylene tape for manual packaging, $28\mu m$, available in: transparent, white or havana. Acrylic water-based adhesive. Thanks to its 200m of length, it occupies less space than any other tape and you can effectively roll changes. **Available with 1.5 inch core. Printable.**

Technical Data		
Backing μm	28	
Adhesive	Acrylic	
Total thickness μm	48	
Longitudinal tensile strenght kg/cm	4,5	
Longitudinal elongation at break %	160	
Adhesion to steel plate g/cm	230	
Rolling ball tack cm	1	



BONUS DISPENSER









Vibac S.p.a

telephone: 0039 0142 413200

fax: 0039 0142 413265

email: tapedivision@vibac.it

www.vibac.it